

Product Announcement

Klipsch C-Series Subwoofers

Take control of your bass.

Didcot, Oxfordshire – 25th January 2019

Henley Audio are today announcing the immediate availability of a new innovation in Klipsch's highly regarded subwoofer range. Klipsch, a leading US-based audio manufacturer, have launched a new compact, install-friendly subwoofer range that promises to deliver true low-end power to any system, with complete control over the performance.

The Klipsch C-Series subwoofers are high powered, ultra-compact devices with front-firing Cerametallic™ woofers and side-firing piano gloss passive radiators for optimised output and low frequency extension. The series consists of two models that are approximately 30% smaller in size than average subwoofers, while still delivering the same output and low frequency power as much larger products.



The Klipsch C-310ASWi subwoofer (SRP £1,500.00) is powered by an 800W BASH® digital hybrid amplifier, has three 10" drivers and measures just 13" cubed. The C-308ASWi subwoofer (SRP £1,250.00) is powered by a 600W digital hybrid amplifier, has three 8" drivers, and is an 11" cube. The ultra-compact cabinets and elegant piano gloss finish ensures the subwoofers blend seamlessly into any environment by looking like a premium addition to your home.

Absolute control is guaranteed in the C-Series subwoofers thanks to the Cerametallic™ woofers used for the main active drivers. As used on premium Klipsch loudspeakers, including the high-end RF-7 III, Cerametallic woofers are light and stiff with minimal distortion characteristics. In C-Series subwoofers, the long-throw design allows for greater cone excursion to maximise the low-end extension. Then by marrying the active woofer with side-firing MDF passive radiators, the cabinet can remain small while still delivering more bass power than a typical equivalent model.

Both C-Series subwoofers are loaded with advanced technical features to fully customise the experience for any room type, source material, or placement. Features include:

- The free Klipsch LowControl™ App, which allows comprehensive control over input, volume, phase, high pass, and EQ customization for fully-tuned sound environments.
- Automatic room correction, using the LowControl App and your iOS/Android device's microphone to optimize the sound settings based on the room configuration and actual listening position.
- Two-way IP Network control system drivers for Control4, Crestron, Savant and RTI installations, allowing for control over input selection, EQ presets, and gain control, along with device feedback.
- Unbalanced RCA, Balanced XLR, Hi-Level, and wireless inputs, which can also be used simultaneously and level-mixed in the LowControl App for a myriad of source types and configurations.
- Compatibility with the new Klipsch WA-3 wireless transmitter (sold separately, £200.00 SRP), allowing the subwoofer to sit away from the amplifier with no unsightly wires to stretch across the room. One WA-3 transmitter can deliver high-definition wireless audio to up-to three C-Series subwoofers.

The Klipsch C-Series ultra-compact subwoofers firmly bring Klipsch into the high-end subwoofer arena, whether you're a hi-fi enthusiast, a home-cinema nut or an installer looking to bring more low-end strength to your audio environment. Still with convenience at their core, they are incredibly powerful and versatile devices boasting the latest technical innovations from a compact chassis that has a luxury aesthetic appeal to complement its sophisticated internal workings.

C-308ASWi SRP £1,250.00

C-310ASWi SRP £1,500.00

Available in Gloss Black finish.



Technical Data

	C-308ASWi	C-310ASWi
Active Woofer:	8" Long-Throw Cerametallic	10" Long-Throw Cerametallic
Passive Radiators:	Dual 8" MDF Piano Gloss	Dual 10" MDF Piano Gloss
Low Freq. Extension:	28Hz	25Hz
Amplifier Power:	300W RMS / 600W PEAK	400W RMS / 800W PEAK
Amplifier Type:	BASH Digital Hybrid	
Max. Output:	110dB	116dB
Inputs:	Dual RCA Line/ XLR Line / High Level L/R High Def Wireless (with optional WA-3 transmitter) Ethernet (for IP control)	
Control Protocols:	Control4, Crestron, RTI, Savant	
Dimensions:	11" x 11" x 11"	13" x 13" x 13"

Notes for Editors

Consumer Contact for Publication

Henley Audio
Didcot, Oxfordshire

Tel: 01235 511 166
Email: sales@henleyaudio.co.uk
Web: www.henleyaudio.co.uk



About Klipsch

In 1946 Paul W. Klipsch, inventor, acoustics pioneer and maverick, founded Klipsch Audio with the sole purpose of bringing the power, detail and emotion of the live music experience into his living room. Through the use of highly efficient speaker designs, handcrafted cabinetry and a thirst for real engineering breakthroughs – Klipsch, the great American loudspeaker company, was born in Hope, AR.

Today, Klipsch's diverse range of quality audio products includes speakers and headphones for almost any consumer and professional application – including cinema, whole-house, wireless, home theatre and portable offerings. Honouring their founder's legacy, Klipsch continues to be the legendary high-performance brand of choice for audiophiles and aficionados around the world. Klipsch are the Keepers of the Sound®. Klipsch Group, Inc. is a VOXX International Company (NASDAQ: VOXX).



About Henley Audio

Henley Audio has been importing and distributing industry-leading hi-fi equipment to the UK and Ireland since 1997. With a passion for great sound and a firm focus on brand integrity, we work to deliver excellence in both product and service.

Formed as the result of a management buy-out of Ortofon UK, Henley Designs Ltd. (trading as Henley Audio) operates in-house sales, marketing, service, support and warehouse teams in order to offer the full turn-key solution for suppliers. The brands we represent are not only highly-regarded in their own right, but they also share a symbiotic relationship with other brands in our portfolio.

For more information, visit www.henleyaudio.co.uk

Press Contact

Simon Powell

Henley Audio, Unit B, Park 34, Collett, Didcot, Oxfordshire, OX11 7WB

Tel: 01235 511 166

Email: simon@henleyaudio.co.uk

Web: www.henleyaudio.co.uk

//Ends