

The compact set for classic television and comfortable streaming

Ultra HD and Full HD Edge-LED LCD slim panels with HDR and Dolby Vision Flexible USB recording with timeshift and EPG programming Super fast Loewe os with comfortable Loewe remote control Integrated front-firing soundbar for best speech-intelligibility Support of Alexa Skills, Miracast, Apple AirPlay and DTS Play-Fi Modular setup solutions for table, floor or wall for every living space



LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics – Made in Germany. .



The compact set for classic television and comfortable streaming



Brilliant and natural picture

Comfortable TV watching in Ultra HD and Full HD resolution including a full range of HDR formats up to Dolby Vision, delivered by panels exclusively tailormade for Loewe in 32 and 43 inch.

Based on VA type LCD technology with super-slim edge LED backlighting, ALCW (Anti-Lateral Colour Wash-out) sheet and additional DBEF (Double Brightness Enhancement Foil) as well as special phosphors, they achieve both: Great viewing angle, wide colour gamut for vibrant colours, fast reaction time and low energy consumption in a true flat cabinet design.



Flexible connectivity possibilities

The Loewe chassis SL8 family is based on a high performance main CPU and runs with Loewe os8 for fast operation and full support on features, apps and connectivity standards.

The HDMI 2.1 inputs support VRR up to Ultra HD resolution for gaming consoles. And eARC allows connecting a Loewe klang bar to enjoy the latest movie audio codecs such as Dolby Atmos in high resolution surround sound. With USB you can connect memory devices for recording or timeshifting of TV broadcast, live or programmed via the premium EPG.



Super fast smart streaming

The super-fast Loewe os8 offers all important VoD services like Netflix, YouTube, Disney+, Apple tv+, Freeview Play, HD+, Zattoo, FIFA+ and many more. It also supports Apple AirPlay and DTS Play-Fi for great network interaction and connectivity with smart home and multiroom audio devices.

The comfortable alu-made Loewe remote offers six direct streaming buttons plus control via the illuminated cursor field. Paired by Bluetooth, it also supports voice commands on your TV. Simply activate the microphone by the push of a button.



Integrated front-firing soundbar

Superior sound with 60 watts, clear speechintelligibility and Dolby Atmos processing: Our own in-house Loewe audio development and sophisticated sound tuning ensures best acoustic reproduction and movie enjoyment.

Adding the wireless Loewe klang sub1 makes it a 2.1 system with more bass. Or connect a Loewe klang bar via eARC for an impressive home cinema experience.

With Apple AirPlay and DTS Play-Fi you can also enjoy direct streaming and multiroom audio.



Sophisticated 360° design

Design and quality Made in Germany: A well refined design with fabric covered soundbar, cable management, covers, hidden connections and spraypainted cabinet is without comparison.

The mechanical construction is clever and robust, with solid VESA bolts funded in the metal main structure. A rotatable table stand made of metal with a real chrome finish creates a fine appearance.



Modular setup solutions

Optional accessories and setup solutions allow an individual adoption of your TV to perfectly fit your needs and living space.

The rotating Loewe floor stand c in chrome is made for Loewe callas and presents it most elegant. The unique Loewe floor2ceiling stand creates its own impressive style. Different Loewe wall mounts, also for the klang bars, support any wall installation.

The compact set for classic television and comfortable streaming



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The compact set for classic television and comfortable streaming

Setup solutions

Stand solutions

floor2ceiling stand

callas 43: W* x H x PD / TD = 97,0 x 220-290 x 6,8 / 18,5 callas 32: W* x H x PD / TD = 72,5 x 220-290 x 7,9 / 17,3 manually rotatable (+/- 110°), hidden cable routing, height adjustable (220-290 cm), adaption via wall mount slim

floor stand universal

callas 43: W* x H x PD / TD = 97,0 x 101,7 x 6,8 / 52,5 callas 32: W* x H x PD / TD = 72,5 x 88,2 x 7,9 / 52,5 manually rotatable (+/- 45°), hidden cable routing

floor stand c

callas 43: W* x H x PD / TD = 97,0 x 11,1 x 6,8 / 48,7 callas 32: W* x H x PD / TD = 72,5 x 96,6 x 7,9 / 48,7 manually rotatable (+/- 45°)

Wall solutions

wall mount universal callas 43: W* x H x PD / TD = 97,0 x 58,9 x 6,8 / 11,3-12,1 callas 32: W* x H x PD / TD = 72,5 x 45,6 x 7,9 / 9,9-10,9 tiltable mounting

wall mount slim 432 callas 43: W* x H x PD / TD = 97,0 x 58,9 x 6,8 / 9,6 flat mounting

wall mount slim 221 callas 32: W* x H x PD / TD = 72,5 x 45,6 x 7,9 / 8,4 flat mounting





0

Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The compact set for classic television and comfortable streaming

System components Loewe multi.room amp Colour Model Article Stereo amplifier for multiroom and homecinema 61600 black multi.room amp installations with 1.200 watts total music power Loewe klang bar3 mr 3.1 Dolby Atmos soundbar with integrated 60614 subwoofer and 360 watts total music power basalt grey klang bar3 mr Loewe klang sub1 Wireless subwoofer with 160 watts for lossless, basalt grey klang sub1 60610 latency-free and vibration-free bass enhancement Loewe klang mr3 Wireless active speakers with 150 watts for 60605 basalt grey klang mr3 multichannel home cinema or multiroom audio Loewe klang mr1 Wireless active speakers with 30 watts as rear basalt grey 60604 klang mr1 surround or for multiroom audio Loewe remote klang mr Multifunctional IR remote control for Loewe klang mr black remote klang mr 74000 and Loewe klang bar to operate all basic functions and sound settings

The compact set for classic television and comfortable streaming

Additional information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you: Monday to Friday 09:00 – 17:00 o'clock ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe callas

Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
creen diagonal (cm / inch) / Response time (ms)	108/43/8	81/32/6,5
anel luminance* (ca. cd/m ²) / Viewing angle (h/v)	450 / 178°	350 / 178°
Iltra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	_/•/•/•
IDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	●/ ●/ ●/ ●(incl. IQ PD) / ●	•/•/-/-/•
leceiption		
WB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-
WB radio / DiSEqC / Unicable / Dual channel	•/•/•/—	•/•/•/—
/IPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)	●/●/●/● (incl. H.266)
V+ / Zattoo app / HD+ app	● (VIDAA tv) / ● / ●	● (VIDAA tv) / ● / ●
ludio		
Dutput (ca. watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept		
	speaker box + bass reflex	speaker box + bass reflex
ront firing / down firing / 2-channel crossover	•/-/-	•/ - / -
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•/•	•/•/•/•/•
Class-D amp / Auto Volume / EQ / Dyn. Loudness	•/•/•/•	•/•/•/•
peration and apps		
Chassis / os / languages (menu, help) / app store	SL8 / os8 / 33 / •	SL8 / os8 / 33 / •
ny Loewe app / smart apps (all: Android + iOS)	VIDAA Smart TV app	/ VIDAA Smart TV app
/oice control: Alexa Skills / other	VIDAA Voice	VIDAA Voice
EPG / Number of stations in channel list	•/ 10.000	• / 10.000
Aediatext (HbbTV) / Teletext / Splitscreen		•/•/•
Parental Lock / Automatic turn-off / Timer		•/•/•
Software update (via USB / Internet) / Hotel Mode		•/•/•
		•/ •/ •
Aultimedia		
_oewe dr+: capacity / USB recording / timeshift	— / • / •	— / • / •
Media player / dlna player / browser	•/•/•	•/•/•
/ouTube / Amazon / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•
Connectivity and Interfaces		
-		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
IDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	1 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	● / ● / ● (120 Hz)	● / ● / ● (FHD 60 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	●/●/●/●	•/•/•/•
JSB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/•	•/•/•/•
_AN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•/•	•/•/•/•
OSLINK / center in / cube plug stereo	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•
Home automation / Control4 / Crestron	● (via IP) / ● / ●	(via IP) / / ·
Power socket	C7 (Euro type)	C7 (Euro type)
norgy		
Inergy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	<u>G (0,927) / G (1,474)</u>	F (0,752) / G (1,249)
PREL registration No.: https://eprel.ec.europa.eu	2001498	1978040
Aains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
nergy consumption SDR / HDR (ca. kWh/1000h)	53 / 85	27 / 46
Power consumption max. @ audio 1/8 volume (watts)	110	70
Power consumption standby / network standby (watts)	0,4 / 0,8	0,4 / 0,8
Dimensions		
Weight (ca. kg) excl. / incl. standard setup solution	12,0 / 14,8	7,3 / 10,0
V* x H x D (cm) without setup solution	97,0 x 58,9 x 6,8	72,5 x 45,6 x 7,9
N* x H x D (cm) incl. table stand	97,0 x 63,3 x 25,4	72,5 x 49,8 x 25,4
/ESA support / Kensington lock	300 x 300 / •	100 × 100 / •
Scope of Delivery		
speaker	integrated	integrated
Setup Solution / rotate-able	table stand c / •	table stand c / •
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Vanual / power cord		
	● / ● (2,5 m, black)	● / ● (2,5 m, black)
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand universal	floor2ceiling stand, floor stand c
	floor stand c, wall mount slim 432	wall mount slim 221, wall mount universa
	wall mount universal, klang bar3 mr	klang sub1

• = available, • = optional, — = not available

* according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party on the availability subject to subscription plan, internet service, device features and content availability.