

The individual all-rounder for smart streaming entertainment

Pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision

Integrated Loewe dr+ hard disk drive with 1 terabyte recording capacity

Super fast Loewe os with comfortable Loewe remote control

Netflix, YouTube, Disney+, Apple tv+, Zattoo, HD+ and more

Support of Alexa Skills, Miracast, Apple AirPlay and DTS Play-Fi

Innovative audio solutions from invisible sound to klang bar i and beyond













































LOEWE. was established by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics - Made in Germany.

Data sheet Loewe inspire July 2025











The individual all-rounder for smart streaming entertainment





Superior picture quality

Brilliant TV experience with Ultra HD OLED panels and a full range of HDR formats including Dolby Vision. Delivered by the latest W-OLED generation from LG Display with best performance, deepest black and lowest reflectivity.

Pre-calibrated in our own factory at the headquarters in Kronach, Germany to meet all relevant movie picture and colour standards for a perfectly natural and impressive image reproduction right out of the box in your living room.

Integrated digital recorder

Loewe dr+ system for comfortable recording: A premium EPG, a triple tuner, an integrated 1TB HDD, native VoD apps and HbbTV media libraries allow timeshift and recording DVB in the background while watching streaming content or movies from the archive.

The Loewe chassis SL850 is based on a high performance main CPU and runs with Loewe os 8 for fast operation and full support on features, apps and connectivity standards, including two HDMI 2.1 inputs with UHD VRR @ 120 Hz - perfect for gaming consoles with fast graphics.

Super fast smart streaming

The super-fast Loewe os 8 offers all important VoD services like Netflix, YouTube, Disney+, Apple tv+, Freeview Play, HD+, Zattoo, FIFA+ and many more. It also supports Apple AirPlay and DTS Play-Fi for great network interaction and connectivity with smart home and multiroom audio devices.

The comfortable alu-made Loewe remote offers six direct streaming buttons plus control via the illuminated cursor field. Paired by Bluetooth, it also supports voice commands on your TV. Simply activate the microphone by the push of a button.







Innovative sound solutions

Innovative modular audio solutions from invisible sound to klang bar i and beyond fit to every use-case and situation. Loewe in-house audio development and sound tuning together with Dolby Atmos ensure best acoustic reproduction and movie experience at any time.

Loewe invisible sound with pure monitor-look is the solution for design-aficionados or smaller rooms. Or attach the Loewe klang bar i and enjoy 80 watts, a wider stereo stage and best speech intelligibility. Adding the wireless Loewe klang sub1 makes it a 2.1 system with more volume and bass.

Or connect a Loewe klang bar via HDMI eARC plus one or several Loewe klang sub5 and klang mr speakers to create a true multichannel home cinema via Loewe wireless digital audiolink.

Sophisticated 360° design

Design, construction and quality Made in Germany: A timeless look, with magnetic rear covers, cable management, hidden connections, a basalt grey spraypainted and partly fabric covered rear cabinet is without compromise and expresses pure elegance.

The inner mechanical construction is both clever and robust, with solid VESA bolts funded in the metal main structure of the set and a massive table plate including a rotatable stand with all the way concealed cable routing.

Individual modular solutions

Optional accessories allow the personal configuration of your own home entertainment center to perfectly fit your needs and living space.

The Loewe table stand i can be upgraded with the spacer i to place Loewe klang bars in front of the screen without hindrance. The Loewe floor stand flex, pure or with klang bar and equipment boards allows numerous different use-cases. The unique Loewe floor2ceiling stand creates its own impressive style. Different Loewe wall mounts, also for the klang bars, support any wall installation.

Loewe wireless digital audiolink, together with the Loewe klang system components, allows expandable sound solutions from active soundbars, with one or many subwoofers, to wireless speakers for multichannel home cinema or multiroom audio.

The individual all-rounder for smart streaming entertainment

Achievements







"The new Loewe inspire stands out from the crowd."

computerbild.de, 06.07.2024 about inspire 55 dr+ Test result: 1,4 VERY GOOD



"The Loewe inspire not only impresses with its exclusive design, but also with its picture quality and its built-in TV recorder. Operation, connections and setup & sound options are of a high standard."

hifi.de, 10.7.2024 about inspire 55 dr+ & klang bar i Test result: 9.2 VERY GOOD & 9.3 VERY GOOD



"The Loewe inspire 55 dr+ offers very good picture quality. It also combines the best of both worlds. Added to this are the high-quality workmanship and elegant design for which the Kronach-based manufacturer is known."

Satvision magazine, edition 08/2024 about inspire 55 dr+ Test result: 94,6% VERY GOOD



"The inspire breathes new life into the excellently designed and superbly crafted body of its predecessor, the bild i, with state-of-the-art chips and brilliant OLED panels."

connect.de, 31.7.2024 & connect magazine, edition 09/2024 about inspire 65 dr+ Test result: 914 points OUTSTANDING



"The Loewe inspire 65 dr+ is an exceptional OLED TV with a great picture, good sound, an extensive range of apps and exclusive features."

audiovision magazine, edition 09/2024 about inspire 55 dr+ Test result: 88 points VERY GOOD + HIGHLIGHT

^{*} predecessor model Loewe bild i

The individual all-rounder for smart streaming entertainment

TV

Loewe inspire dr+

Scope of delivery includes TV set with HDD, invisible sound and table stand inspire 65 dr+: W* x H x PD / TD = 146,0 x 86,8 x 6,4 / 29,0 inspire 55 dr+: W* x H x PD / TD = 123,6 x 74,4 x 6,4 / 29,0 inspire 48 dr+: W* x H x PD / TD = 107,7 x 65,4 x 6,4 / 29,0 table stand manually rotatable (+ / - 20°), hidden cable routing

	Model	Article	
basalt grey	inspire 77 dr+	60437	
	inspire 65 dr+	62466	
	inspire 55 dr+	62464	
	inspire 48 dr+	62463	







Loewe inspire 77 dr+

Scope of delivery includes TV set with HDD, invisible sound and wall mount universal inspire 77 dr+: W* x H x PD / TD = $173,1 \times 102,3 \times 8,4 / 12,2$ tiltable mounting







Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

The individual all-rounder for smart streaming entertainment

Soundbar

Loewe klang bar i

Passive soundbar for installation at Loewe inspire



Model

Article

59212 basalt grey klang bar i







Subwoofer

Loewe klang sub1

Active wireless subwoofer to complement the TV



basalt grey klang sub1

60610

Accessory

HDMI extension cable

to support additional HDMI interface on the side connection area 50 cm

HDMI extension 73399

The individual all-rounder for smart streaming entertainment

Setup solutions

Stand solutions

floor2ceiling stand

inspire 77 dr+: W* x H x PD / TD = 173,1 x 220-290 x 8,4 / 18,6 inspire 65 dr+: W* x H x PD / TD = 145,7 x 220-290 x 6,4 / 18,0 inspire 55 dr+: W* x H x PD / TD = 123,6 x 220-290 x 6,4 / 17,5 inspire 48 dr+: W* x H x PD / TD = 107,7 x 220-290 x 6,4 / 17,1 manually rotatable (+/- 110°), hidden cable routing,

height adjustable (220-290 cm), direct mounting - no adapter required

floor stand flex

inspire 77 dr+: W* x H x PD / TD = 173,1 x 102,3 x 8,4 / 54,0 inspire 65 dr+: W* x H x PD / TD = 145,7 x 128,9 x 6,4 / 54,0 inspire 55 dr+: W* x H x PD / TD = 123,6 x 116,5 x 6,4 / 54,0 inspire 48 dr+: W* x H x PD / TD = 120,8 x 107,5 x 6,4 / 54,0 manually rotatable (+/- 45°), hidden cable routing, with or without carrier for accessory tray or soundbar

floor stand universal

inspire 65 dr+: W* x H x PD / TD = 145.7 x 128.9 x 6.4 / 54.0 inspire 55 dr+: W* x H x PD / TD = 123.6 x 116.5 x 6.4 / 54.0 inspire 48 dr+: W* x H x PD / TD = 120.8 x 107.5 x 6.4 / 54.0 manually rotatable (+/- 45°), hidden cable routing

spacer table stand i

inspire 65 dr+: $B^* \times H \times TP / TG = 146,0 \times 92,8 \times 6,4 / 29,0$ inspire 55 dr+: $B^* \times H \times TP / TG = 123,6 \times 80,4 \times 6,4 / 29,0$ inspire 48 dr+: $B^* \times H \times TP / TG = 107,7 \times 71,4 \times 6,4 / 29,0$ table stand manually rotatable (+ / - 20°), for placing a klang bar under the display


Wall solutions

wall mount universal

inspire 77 dr+: W* x H x PD / TD = 173,1 x 102,3 x 8,4 / 12,2 inspire 65 dr+: W* x H x PD / TD = 145,7 x 85,8 x 6,4 / 10,1 inspire 55 dr+: W* x H x PD / TD = 123,6 x 73,4 x 6,4 / 10,1 inspire 48 dr+: W* x H x PD / TD = 107,7 x 64,4 x 6,4 / 10,1 tiltable mounting

wall mount slim 432

inspire 77 dr+: W* x H x PD / TD = 173,1 x 102,3 x 8,4 / 10,5 inspire 65 dr+: W* x H x PD / TD = 146,0 x 85,8 x 6,4 / 8,4 inspire 55 dr+: W* x H x PD / TD = 123,6 x 73,4 x 6,4 / 8,4 inspire 48 dr+: W* x H x PD / TD = 107,7 x 64,4 x 6,4 / 8,4 flat mounting



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted. * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set

The individual all-rounder for smart streaming entertainment

System components

Loewe multi.room amp Colour Model Article Stereo amplifier for multiroom and home cinema black 61600 multi.room amp installations with 1.200 watts total music power Loewe klang bar5 mr 5.1.2 Dolby Atmos soundbar with wireless klang bar5 mr 60601 basalt grey subwoofer and 800 watts total music power Loewe klang bar3 mr 3.1 Dolby Atmos soundbar with integrated subwoofer and 360 watts total music power basalt grey klang bar3 mr 60614 Loewe klang sub5 Any number of klang sub5 can be connected to a basalt grey klang sub5 60603 klang bar3 mr or klang bar5 mr at the same time Loewe klang mr5 Wireless active speakers with 180 watts for basalt grey klang mr5 60606 multichannel home cinema or multiroom audio Loewe klang mr3 Wireless active speakers with 150 watts for basalt grey klang mr3 multichannel home cinema or multiroom audio Loewe klang mr1 Wireless active speakers with 30 watts as rear basalt grey 60604 klang mr1 surround or for multiroom audio Loewe remote klang mr

black

74000

remote klang mr

Data sheet Loewe **inspire** July 2025

and sound settings

Multifunctional IR remote control for Loewe klang mr

and Loewe klang bar to operate all basic functions

The individual all-rounder for smart streaming entertainment

Aditional Information

www.loewe.tv



my Loewe app



Your Loewe contact

We are happy to help personally.

Our Loewe Customer Care Center is here for you: Monday to Friday 09:00 – 17:00 o'clock ccc@loewe.de | 0049 9261 99 500

Your Loewe dealer

Technical Data

Loewe inspire

77 dr+

Image	
Screen resolution (pixels)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°
Ex-works individual panel calibration / white D65 / colour RGB	•/•/•
	0/0/0/0
UHD scaling / Auto Dimming / Al PQ / Adaptive Contrast / 24p	
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	•/•/•/•(incl. IQ PD)/•
Reception	
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-
DVB radio / DiSEgC / Unicable / dual channel	•/•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/● (incl. H.266)
Zattoo / HD+	•/•/ •/ • (md.11.200)
Audio	
Power (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	/ • (invisible sound) /
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•
Class-D amp / Auto Volume / Al AQ / EQ / Dynamic Loudness	•/•/•/•
	0,0,0,0,0
Operation and apps	
Chassis / os / languages (menu, help) / app store	SL8/os8/33/◆
my Loewe app / smart apps (all: Android + iOS)	✓ Vidaa Smart TV app
Voice control: Alexa Skills / other	● / Vidaa voice
EPG / Number of stations in channel list	●/ 10.000
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•
Mediatext (HbbTV) / Teletext / Splitscreen	<u> </u>
Media player / dlna player / browser	
TV Channel+ / premium VOD services / Al comfort features	
Parental Lock / Automatic turn-off / Timer	•/•/•
Software update (via USB / Internet) / Hotel Mode	●/●/●
Connectivity and Interfaces	
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1
	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	●/●/●/
USB-A: number x power	_2 × 1,0 A, 2 × 0,5 A
Bluetooth / Miracast / AirPlay / DTS Play-Fi	●/●/●/●
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•/•
TOSLINK / cube plug stereo	•/•
Audio out control: fix / variable / sub (3.5 mm)	●/●/●
Home automation / Control4 / Crestron	• (via IP) / • / •
Power socket	C7 (Euro type)
-	0. (20.0 type)
Energy	
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E (0,736) / E (0,703)
EPREL registration No.: https://eprel.ec.europa.eu	1993349
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / — / n.a.
Energy consumption SDR / HDR (ca. kWh/1000h)	110 / 105
Power consumption max. @ audio 1/8 volume (watts)	500
Power consumption standby / network standby (watts)	0,3 / 0,8
	0,0 7 0,0
Dimensions (* incl. signature flag: ca. 1 cm)	
Weight (ca. kg) excl. / incl. standard setup solution	34,1 / 35,9 (wm universal)
W* x H x D (cm) without setup solution	173,1 x 102,3 x 8,4
W*x H x D (cm) incl. table stand	173,1 x 102,3 x 12,2 (wm universal)
VESA support / Kensington lock	300 x 200 / •
*Fort anbboars, tremain Rron Lines	500 ∧ 200 / ♥
Scope of Delivery	
Scope of Delivery	
Speaker	invisible sound (in TV integrated)
Setup Solution / rotate-able	wall mount universal / —
Remote control (incl. batteries)	Loewe remote alu (2x AAA)
Manual / power cord	• / • (2,5 m, black)
Optional accessories	
Selection of recommended setup solutions and audio systems	floor2ceiling stand
	floor stand flex
	wall mount slim 432
	klang bar5 mr
	klang bar3 mr
	klang sub1
	- 0 - m

ullet = available, ullet = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some of this intervences on the device are at the sole discretion of the third party. Some of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

^{*} according to panel spec typ. values @ HDR 10%

Technical Data

Loewe inspire	65 dr+	55 dr+	48 dr+
mage			
creen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
	164/65/1	139 / 55 / 1	121 / 48 / 1
Screen diagonal (cm / inch) / Response time (ms) Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
x-works individual panel calibration / white D65 / colour RGB	1.1007 120 •/•/•	•/•/•	●/●/●
HD scaling / Auto Dimming / Al PQ / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
IDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	•/•/•/•(incl. IQ PD)/•	•/•/•/•(incl. IQ PD)/•	•/•/•/•(incl. IQ PD)/•
	7 07 07 0 (IIICI. IQ FD) 7	67 67 67 6 (IIIci. IQ FD) 7 6	0/ 0/ 0/ 0 (IIICI. IQ FD)/ 0
Peception DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-	•/•/•/-	•/•/•/—
DVB radio / DiSEqC / Unicable / dual channel	•/•/•/-	•/•/•/-	•/•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/●/●/ (incl. H.266)	•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
attoo / HD+	•/•	•/•	•/•
udio	0 10 (0 00 (0	0 10 (0 00 (0	0. 10 / 0. 00 / 0
ower (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2×10/2×20/2	2 x 10 / 2 x 20 / 2
coustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
ont firing / down firing / 2-channel crossover	— / ● (invisible sound) / —	— / ● (invisible sound) / —	— / ● (invisible sound) / —
olby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
lass-D amp / Auto Volume / Al AQ / EQ / Dynamic Loudness	•/•/•/•	•/•/•/•	•/•/•/•
peration and apps			
nassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•	SL8/os8/33/•
ny Loewe app / smart apps (all: Android + iOS)	● / Vidaa Smart TV app	 / Vidaa Smart TV app 	/ Vidaa Smart TV app
oice control: Alexa Skills / other	• / Vidaa voice	• / Vidaa voice	 ✓ Vidaa voice
PG / Number of stations in channel list	•/10.000	• / 10.000	• / 10.000
newe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/•	1TB/∘/•
lediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
ledia player / dlna player / browser	•/•/•	•/•/•	•/•/•
V Channel+ / premium VOD services / Al comfort features	•/•/•	•/•/•	•/•/•
arental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
oftware update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
onnectivity and Interfaces			
ntenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
DMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMl 2.0b, 2 x HDMl 2.1	2 x HDMl 2.0b, 2 x HDMl 2.1
DMI UHD / ALLM / VRR	• / • / • (120 Hz)	●/●/ (120 Hz)	●/●/● (120 Hz)
DCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•/•
SB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
luetooth / Miracast / AirPlay / DTS Play-Fi	•/•/•/•	•/•/•/•	●/●/●/●
AN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•/•	•/•/•/•	•/•/•/•
OSLINK / cube plug stereo	•/•	•/•	•/•
udio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron	(via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
ower socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
nergy	or (Euro type)	er (Earo type)	or (Edio type)
U energy efficiency class: SDR (EEI) / HDR (EEI)	F(0,879)/G(0,914)	F (0,893) / F (0,847)	F (0,851) / F (0,848)
PREL registration No.: https://eprel.ec.europa.eu	1993207	1993193	1653891
lains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a
nergy consumption SDR / HDR (ca. kWh/1000h)	100 / 104	77 / 73	58 / 58
ower consumption max. @ audio 1/8 volume (watts)	425	300	200
ower consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5
imensions (* incl. signature flag: ca. 1 cm)			
eight (ca. kg) excl. / incl. standard setup solution	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
* x H x D (cm) without setup solution	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
/* x H x D (cm) incl. table stand	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
ESA support / Kensington lock	300 x 200 / ◆	300 x 200 / ●	300 x 200 / ●
cope of Delivery			
peaker	invisible sound (in TV integrated)	invisible sound (in TV integrated)	invisible sound (in TV integrat
etup Solution / rotate-able	wall mount universal / —	wall mount universal / —	wall mount universal / —
emote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
anual / power cord	• / • (2,5 m, black)	● / ● (2,5 m, black)	●/● (2,5 m, black)
ptional accessories	- , - (E,o III, black)	(2,0 111, 5,001)	. / = (E,o, black)
•	floor?ooiling stond	floor?goiling stored	floor?poiling stond
election of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
	floor stand flex	floor stand flex	floor stand flex
	wall mount slim 432	wall mount slim 432	wall mount slim 432
	wall mount universal	wall mount universal	wall mount universal
	klang bar5 mr	klang bar5 mr	klang bar3 mr
	klang bar3 mr	klang bar3 mr	klang bar i
		klang bar3 mr klang bar i	klang bar i klang sub1
	klang bar3 mr		

ullet = available, ullet = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

^{*} according to panel spec typ. values @ HDR 10%

Loewe inspire & klang bar i	65 dr+ set	55 dr+ set	48 dr+ set
Locwe mapire & Mang bar i		35 di - 36t	
mage			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164/65/1	139 / 55 / 1 1.100 / 120°	121 / 48 / 1 800 / 120°
Panel luminance* (ca. cd/m²) / Viewing angle (h/v) Ex-works individual panel calibration / white D65 / colour RGB	1.100 / 120° • / • / •	1.100 / 120	●/●/●
UHD scaling / Auto Dimming / Al PO / Adaptive Contrast / 24p	•/•/•/•	0/0/0/0/0	0/0/0/0/0
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	•/•/•/•(incl. IQ PD)/•	• / • / • (incl. IQ PD) / •	•/•/•/•(incl. IQ PD)/•
Reception			
DVB-T2 / C / S2 / HD / twin triple-tuner	•/•/•/-	•/•/•/-	•/•/•/-
DVB radio / DiSEqC / Unicable / dual channel	•/•/-	•/•/•/—	•/•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	•/•/•/• (incl. H.266)
Zattoo / HD+	•/•	•/•	•/•
Audio			
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar i
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Class-D amp / Auto Volume / AI AQ / EQ / Dynamic Loudness	•/•/•/•	•/•/•/•	•/•/•/•
Operation and apps	010 / 0 / 22 /	010 / 0 /22 /	010 (0 (22)
Chassis / os / languages (menu, help) / app store	SL8 / os8 / 33 / •	SL8 / os8 / 33 / •	SL8 / os8 / 33 / •
my Loewe app / smart apps (all: Android + iOS) Voice control: Alexa Skills / other	/ Vidaa Smart TV app / Vidaa voice	/ Vidaa Smart TV app/ Vidaa voice	/ Vidaa Smart TV app/ Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/•	1TB/o/•
Mediatext (HbbTV) / Teletext / Splitscreen	●/●/●	•/•/•	•/•/•
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•
TV Channel+ / premium VOD services / Al comfort features	•/•/•	•/•/•	•/•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
HDMI HDMI UHD / ALLM / VRR	2 x HDMI 2.0b, 2 x HDMI 2.1 • / • / • (120 Hz)	2 x HDMI 2.0b, 2 x HDMI 2.1 • / • / • (120 Hz)	2 x HDMI 2.0b, 2 x HDMI 2.1 • / • / • (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•(120 HZ)	•/•/• (120 HZ)	•/•/•(120 HZ)
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay / DTS Play-Fi	•/•/•	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on LAN / Wake on Wifi	•/•/•/•	•/•/•/•	•/•/•/•
TOSLINK / cube plug stereo	•/•	•/•	•/•
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Power socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
EPREL registration No.: https://eprel.ec.europa.eu	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h)	220-240 V, 50/60 Hz / — / n.a. 100 / 104	220-240 V, 50/60 Hz / — / n.a. 77 / 73	220-240 V, 50/60 Hz / — / n.a 58 / 58
Power consumption max. @ audio 1/8 volume (watts)	425	300	200
Power consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5
Dimensions (* incl. signature flag: ca. 1 cm)	21.1 / 27.1	047.4207	174 (00 4
Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	31,1 / 37,1 146,0 x 86,8 x 6,4	24,7 / 30,7 123,6 x 74,4 x 6,4	17,4 / 23,4 107,7 x 65,4 x 6,4
W*x H x D (cm) incl. table stand	146,0 x 88,3 x 29,0	123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery			
Speaker	klang bar i (in extra carton)	klang bar i (in extra carton)	klang bar i (in extra carton)
Setup Solution / rotate-able	table stand i / •	table stand i / •	table stand i / •
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	• / • (2,5 m, black)	• / • (2,5 m, black)	• / • (2,5 m, black)
Optional accessories			<u> </u>
•			floor2ceiling stand
Selection of recommended setup solutions and audio systems	floor2ceiling stand	floor2ceiling stand	

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some or this digital content and services on the device are at the sole discretion of the third party. Some or this digital content and services on the device are at the sole discretion of the third party. Some or this digital content and services on the device and the sole discretion of the third party. Some or this digital content and services on the device are at the sole discretion of the third party. Some or the device of the transfer of the provision of the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some or the device of the third party. Some or the device of the third party. Some or the device of the transfer of the device. The provision, availability (including in certain territories), updating and termination of the provision of the device. The provision of the device. The provision, availability (including in certain territories), updating and termination of the provision of the device. The provision of the device of the provision of the device of the provision of the device. The provision of the device of the provision of the device of the provision of the device. The provision of the device of the provis

floor stand flex

klang bar5 mr

klang bar3 mr

multi.room amp

klang sub1

wall mount universal

floor stand flex

klang bar5 mr

klang bar3 mr

multi.room amp

klang sub1

wall mount slim 432

wall mount universal

floor stand flex wall mount slim 432

klang bar3 mr

multi.room amp

klang sub1

wall mount universal

ullet = available, ullet = optional, — = not available

 $^{^{\}ast}~$ according to panel spec typ. values @ HDR 10%